

Renaissance collection Shaver supply unit



Description

A shaver supply unit that can be fitted in bathrooms and washrooms.

Installation must be to the latest BS 7671 wiring regulations.

Standards and approvals

CE and UKCA marked BS EN 61558-2-5

Feature

- · Black or white insert colour
- · Automatic switching on insertion of plug
- · Automatic resettling overload protection
- Suitable for use with electric toothbrush chargers
- Suitable for British shaver plug to BS 4573
- Suitable for Europlug to BS EN 50075
- Suitable for US Plug NEMA WD6 1-15

Technical specification

| Supply voltage | 230 V AC | |
|-------------------------------|--|---------|
| Output voltage | 230 V / 115 V AC | 86 47,4 |
| Max no load voltage | 275 V | |
| Max Load | 20 VA | |
| Ambient operating temperature | -5°C to 40°C | 94 |
| Max installation altitude | 2000 metres | |
| Terminal capacity | L 4 x 1mm ² or 3 x 1.5mm ² or 2 x 2.5mm ² N 4 x 1mm ² or 3 x 1.5mm ² or 2 x 2.5mm ² E 4 x 1mm ² or 3 x 1.5mm ² or 2 x 2.5mm ² | |
| Recommended box | 47mm metal box to BS 4662, set back 5mm | |
| IP rating | IP2XD | |
| IP rating (plate removed) | IP2X | |
| Plate dimensions | 86mm x 146mm | |

Finishes technical specification

| Canvas | Plate material | 2.5mm CZ108 brass |
|--------|-----------------------------|--|
| | Finish applied on plate | Canvas, primed white ready for customer's own finish |
| | Screw type | Screwless |
| | Plate prefix | RCN |
| | Standard insert trim colour | White or black |
| | Standard rocker finish | N/A |
| | | |

| Ochre | Plate material | 2.5mm CZ108 brass |
|-------|-----------------------------|--|
| | Finish applied on plate | Ochre, brushed grain finish with matt lacquer protection |
| | Screw type | Screwless |
| | Plate prefix | ROC |
| | Standard insert trim colour | White or black |
| | Standard rocker finish | N/A |

| Roma | Plate material | 2.5mm CZ108 brass |
|------|-----------------------------|---|
| | Finish applied on plate | Roma, brushed grain finish with matt lacquer protection |
| | Screw type | Screwless |
| | Plate prefix | RRO |
| | Standard insert trim colour | White or black |
| | Standard rocker finish | N/A |

| Sienna | Plate material | 2.5mm CZ108 brass |
|--------|-----------------------------|---|
| | Finish applied on plate | Sienna, brushed grain finish with matt lacquer protection |
| | Screw type | Screwless |
| | Plate prefix | RSI |
| | Standard insert trim colour | White or black |
| | Standard rocker finish | N/A |

| Umber | Plate material | 2.5mm CZ108 brass |
|-------|-----------------------------|--|
| | Finish applied on plate | Umber, brushed grain finish with matt lacquer protection |
| | Screw type | Screwless |
| | Plate prefix | RUM |
| | Standard insert trim colour | White or black |
| | Standard rocker finish | N/A |
| | | |

Plate care instructions

These finishes are protected by a matt lacquer (except Canvas). These plates must only be cleaned with a wax-based polish applied with a soft, dry cloth. Under no circumstances should abrasive/solvent polishes or paint removing solvents/treatments be used. Under most conditions the lacquer finish guarantees full protection.

Fitting of products

Installation on wet plaster or paint should be avoided at all times. All electrical products must be fitted by a fully qualified electrician, failure to adhere to this will void any warranty on the products.

Bespoke accessories

Focus SB can produce and manufacture bespoke accessories including combination plates and various multi gang plates to meet your exact requirements in this range please contact one of our product consultants for further details.

Interiors

All interiors are designed to run on British Standard 230 V. Non-UK standard interiors are available upon specific request, please contact one of our product consultants for further details.


This product is suitable for UK metal flush boxes to BS 4662, dry liner boxes and boxes with internal intumescent pads are not recommended. Boxes, plates and grids must be earthed and if fitted outside the UK permission/approval must be obtained by the local or national electricity supplier and/or approvals authority.

Warranty

25-year manufactures warranty against mechanical or electrical fault.

Refer to the standard terms & conditions of sale Clause 5 (as found at www.focus-sb.co.uk/terms).

Contact details



Tel: +44 (0) 1424 858060 sales@focus-sb.co.uk www.focus-sb.co.uk Focus SB Ltd Napier Road St. Leonards-on-Sea East Sussex TN38 gNY UK

