

Renaissance collection *13 A twin switched socket outlet with USB A & C fast charging*



Standards and approvals

CE and UKCA marked.
BS 1363, BS EN IEC 62368.

Features

- Black and white insert colour
- Colour coded shutters
- Colour coded metal rockers
- White or black plastic rocker option
- Clearly marked terminals
- Twin earth terminals
- Single pole switching
- Type A USB port 18W max output
- Type C USB port 45W max output
- Both ports can be used simultaneously
- Internal fuse for overload and short circuit protection
- Supports all the popular charging protocols of Apple and Android phones, tablets and computers

Description

A twin 13 Amp switched socket that incorporates type A and type C USB charging ports for fast charging of phones, tablets and computers.

Technical specification

Rate voltage	250 V AC	
Rated amps	13 A	
Ambient operating temperature	-5°C to 40°C	
Max installation altitude	2000 metres	
Terminal capacity	L 3 x 2.5mm ² or 2 x 4mm ² N 3 x 2.5mm ² or 2 x 4mm ² E 3 x 2.5mm ² or 2 x 4mm ²	
Output combined A+C	45W	
Type A	5-12V 18W	
Type C	5V=3A, 9V=3A, 12V=2.25A & 15V=1.8A	
Output C only	5V=3A, 9V=3A, 12V=3A, 15=3A and 20V=2.25A	
Protocols supported type A	APPLE 2.4A, BC1.2, AFC, FCP, and QC3.0	
Protocols supported type C	APPLE 2.4A, BC1.2, PE2.0, AFC, FCP, SCP, QC3.0, PD3.0 and PPS	
Standby power	<0.3 Watts	
Recommended box	47mm metal box to BS 4662	
IP rating	IP2XD	
IP rating (plate removed)	IP2X	
Plate dimensions	146mm x 86mm	

Finishes technical specification

Canvas




Plate material	2.5mm CZ108 brass
Finish applied on plate	Canvas, primed white ready for customer's own finish
Screw type	Screwless
Plate prefix	RCN
Standard insert trim colour	White or black
Standard rocker finish	White or black

Ochre




Plate material	2.5mm CZ108 brass
Finish applied on plate	Ochre, brushed grain finish with matt lacquer protection
Screw type	Screwless
Plate prefix	ROC
Standard insert trim colour	White or black
Standard rocker finish	Ochre

Roma



Plate material	2.5mm CZ108 brass
Finish applied on plate	Roma, brushed grain finish with matt lacquer protection
Screw type	Screwless
Plate prefix	RRO
Standard insert trim colour	White or black
Standard rocker finish	Roma

Sienna



Plate material	2.5mm CZ108 brass
Finish applied on plate	Sienna, brushed grain finish with matt lacquer protection
Screw type	Screwless
Plate prefix	RSI
Standard insert trim colour	White or black
Standard rocker finish	Sienna

Umber




Plate material	2.5mm CZ108 brass
Finish applied on plate	Umber, brushed grain finish with matt lacquer protection
Screw type	Screwless
Plate prefix	RUM
Standard insert trim colour	White or black
Standard rocker finish	Umber

Plate care instructions

These finishes are protected by a matt lacquer (except Canvas). These plates must only be cleaned with a wax-based polish applied with a soft, dry cloth. Under no circumstances should abrasive/solvent polishes or paint removing solvents/treatments be used. Under most conditions the lacquer finish guarantees full protection.

Fitting of products

Installation on wet plaster or paint should be avoided at all times. All electrical products must be fitted by a fully qualified electrician, failure to adhere to this will void any warranty on the products.

Bespoke accessories

Focus SB can produce and manufacture bespoke accessories including combination plates and various multi gang plates to meet your exact requirements in this range please contact one of our product consultants for further details.

Interiors

All interiors are designed to run on British Standard 230 V. Non-UK standard interiors are available upon specific request, please contact one of our product consultants for further details.

This product is suitable for UK metal flush boxes to BS 4662, dry liner boxes and boxes with internal intumescent pads are not recommended. Boxes, plates and grids must be earthed and if fitted outside the UK permission/approval must be obtained by the local or national electricity supplier and/or approvals authority.

Warranty

5-year manufactures warranty against mechanical or electrical fault.

Refer to the standard terms & conditions of sale Clause 5 (as found at www.focus-sb.co.uk/terms).

Contact details

focus sb

Tel: +44 (0) 1424 858060
sales@focus-sb.co.uk
www.focus-sb.co.uk

Focus SB Ltd
Napier Road
St. Leonards-on-Sea
East Sussex
TN38 9NY UK

